Counties:

Beaver
Garfield
Iron
Kane
Washington

Estimated July 1, 1998 Population

129,793

Demographic Information*	Southwest	Utah
Race ➤ % White ➤ % African American ➤ % American Indian ➤ % Asian/Pacific Islander	97.3 0.2 1.8 0.6	95.2 0.8 1.5 2.5
Ethnicity Mispanic (includes all races)	2.1	6.5
Education ➤ % with less than high school (ages 18+) ➤ % with college degree (ages 18+)	15.4 23.0	15.6 26.5
 Income > % of households with income less than \$10,000/yr > % of households with income \$50,000/yr or more 	16.2 13.1	12.6 19.9


^{*} see Appendix 2 for definitions and data sources

1996 Risk Factor and Health Related Behavior Information*	Southwest	Utah
 Smoking → % Current Smokers (age 18 or over) → % Households with at least one adult smoker 	12.0 18.6	12.4 19.4
Alcohol Use ➤ % Current Drinkers (age 18 or over)	20.8	25.3
 Chronic Disease Risk Factors ➤ Hypertension per 1,000 persons ➤ Diabetes per 1,000 persons ➤ % who exercise (age 6 or over) ➤ % at or above 120% ideal body weight (age 18 or over) ➤ % who have had cholesterol checked 	211.5 23.8 46.7 24.0 67.9	189.6 29.1 44.9 24.4 71.9
Asthma ➤ Reported asthma per 1,000 persons ➤ Reported asthma per 1,000 children aged 0-17	35.4 39.3	41.2 42.9
Guns ➤ % Households with guns ➤ % Households with unlocked and loaded guns	55.7 4.7	43.9 2.9
 Health Care Access ➤ % with no health insurance ➤ % with outpatient visit in past 12 months ➤ % with no primary medical provider or usual place for medical care ➤ % women over age 40 who have ever had mammography 	15.6 75.6 18.7 78.4	9.5 81.6 17.8 84.3
 Injury > % of people injured within last 12 months > % of households in which ≥1 member was a victim of interpersonal violence (not just domestic violence) 	9.1 9.1	10.5 9.1

^{*} see Appendix 2 for definitions and data sources


INFANT MORTALITY as measured by the rate (per 1,000 live births) of deaths among infants under one year of age

Southwest Rank 7/12 Average deaths/year 13



TOTAL DEATHS per 100,000 population*


Southwest Rank 4/12 Average deaths/year 784



MOTOR VEHICLE CRASH DEATHS per 100,000 population*


100,000 population

Southwest Rank 7/12 Average deaths/year 25



WORK-RELATED INJURY DEATHS per 100,000 population*


Southwest Rank 8/12 Average deaths/year 4



^{*} Mortality rates age-adjusted to U.S. 1940 population


SUICIDES per 100,000 population*

Southwest Rank 7/12 Average deaths/year 18




HOMICIDES per 100,000 population*

Southwest Rank 4/12 Average deaths/year 2




LUNG CANCER DEATHS per 100,000 population*

Southwest Rank 9/12 Average deaths/year 32



FEMALE BREAST CANCER DEATHS per 100,000 women*

Southwest Rank 11/12 Average deaths/year 17




^{*} Mortality rates age-adjusted to U.S. 1940 population

CARDIOVASCULAR DISEASE DEATHS per

100,000 population*


Southwest Rank 3/12 Average deaths/year 291



HEART DISEASE DEATHS per 100,000


population*

Southwest Rank 4/12 Average deaths/year 217



STROKE DEATHS per 100,000 population*


Southwest Rank 4/12 Average deaths/year 54



^{*} Mortality rates age-adjusted to U.S. 1940 population


Reported incidence (per 100,000 population) of ACQUIRED IMMUNODEFICIENCY SYNDROME (1994-1996)

Southwest Rank 8/11 Average cases/year 5




Reported incidence (per 100,000 population) of **MEASLES** (1994-1996)

Southwest Rank 11/12 Average cases/year 38




Reported incidence (per 100,000 population) of **TUBERCULOSIS** (1994-1996)

Southwest Rank 12/12 Average cases/year 7



Prevalence of LOW BIRTH WEIGHT as measured by the percentage of live born infants weighing under 2,500 grams at birth

Southwest Rank 1/12
Average number of 103
LBW births/year




BIRTHS TO 15-17 YEAR OLD GIRLS per

1,000 girls aged 15-17 (1994-1996)


Southwest Rank 8/12 Average births/year 76

to 15-17 yr old girls




INADEQUATE PRENATAL CARE as measured by the percent of mothers delivering live infants who did not receive care in the first trimester (1994-1996)

Southwest Rank 9/12 Average births/year with 412 inadequate prenatal care



CHILDHOOD POVERTY as measured by the proportion of children under age 18 living in families at or below the poverty level (1993 data applied to 1998 population)

Southwest Rank 10/12 Number of children living in poverty 6,718



AIR QUALITY as measured by the proportion of persons living in counties exceeding U.S. Environmental Protection Agency standards for air quality during 1996

Southwest: No standards exceeded in 1996

Utah: 0% live in counties where at least one standard exceeded